## Contents

	Prejace	X1
	Part One: Introduction: General Notions	
1	Formal languages	4
2	Interpretations of formal languages. Model theory	6
3	Deductive apparatuses. Formal systems. Proof theory	7
4	'Syntactic', 'Semantic'	ġ
5	Metatheory. The metatheory of logic	10
6	Using and mentioning. Object language and metalanguage. Proofs in a formal system and proofs about a formal	
	system. Theorem and metatheorem	10
7	The notion of effective method in logic and mathematics	13
8	Decidable sets	16
9	1-1 correspondence. Having the same cardinal number as. Having a greater (or smaller) cardinal number than	16
10	Finite sets. Denumerable sets. Countable sets. Uncountable sets	17
11	Proof of the uncountability of the set of all subsets of the	
	set of natural numbers	21
12	Sequences. Enumerations. Effective enumerations	25
13	Some theorems about infinite sets	26
14	Informal proof of the incompleteness of any finitary for- mal system of the full theory of the natural numbers	28
Аpj	pendix 1: Intuitive theory of infinite sets and transfinite cardinal numbers	30
	Part Two: Truth-functional Propositional Logic	
15	Functions	46
	Truth functions	48
	A formal language for truth-functional propositional	. –
.,	logic: the formal language P	54
18	Conventions: 1. About quotation marks 2. About drop-	
10	ping brackets	56
19	Semantics for P. Definitions of interpretation of P, true false for an interpretation of P, model of a formula/set of formulas of P, logically valid formula of P, model-	
	theoretically consistent formula/set of formulas of P, seman-	
	tic consequence (for formulas of P), tautology of P	57

## Consistency and Completeness

38	A formal language for first order predicate logic: the	
	language Q. The languages Q+	137
39		•
	of $Q(Q^+)$ , satisfaction of a formula by a denumerable	
	sequence of objects, satisfiable, simultaneously satisfiable,	
	true for an interpretation of $Q(Q^+)$ , model of a formula/set	
	of formulas of $Q(Q^+)$ , logically valid formula of $Q(Q^+)$ ,	
	semantic consequence (for formulas of Q (Q+)), k-validity	141
40	Some model-theoretic metatheorems for Q (and Q+)	152
		· · · — —

	CONTENTS	ix
41	A deductive apparatus for Q: the formal system QS. Definitions of proof in QS, theorem of QS, derivation in QS, syntactic consequence in QS, [proof-theoretically] con-	
	sistent set of QS	166
42	Proof of the consistency of QS	168
43	Some metatheorems about QS	170
44	First order theories	173
45	Some metatheorems about arbitrary first order theories. Negation-completeness. Closed first order theories. The Löwenheim-Skolem Theorem. The Compactness Theorem	174
46 47	Proof of the semantic completeness of QS  A formal system of first order predicate logic with	195
	identity: the system QS=. Proof of the consistency of QS=. Normal models. Proof of the adequacy of QS=	196
48	Isomorphism of models, Categoricity, Non-standard models	201
49	Philosophical implications of some of these results	205
50	A formal system of first order monadic predicate logic: the system QS <sup>M</sup> . Proofs of its consistency, semantic com-	200
	pleteness and decidability	208
	Part Four: First Order Predicate Logic: Undecidability	
51	Some results about undecidability	219
52	Church's Thesis (1935). Church's Theorem (1936)	230
53	Recursive functions, Recursive sets	232
54	Representation, strong representation and definability of	004
~ <del>~</del>	functions in a formal system	234
55	A formal system of arithmetic: the system H	236
	Proof of the undecidability of OS= The undecidability	239
57	Proof of the undecidability of QS <sup>=</sup> . The undecidability of OS	249
58	Decidable subclasses of logically valid formulas of Q. Prenex normal form. Skolem normal form. Two negative	2-17
	results	251
59	Odds and ends: 1. Logical validity and the empty domain. 2. Omega-inconsistency and omega-incomplete-	201
	ness, 3. Gödel's theorems. 4. The Axiom of Choice. 5. Recursively enumerable sets	255
App	pendix 2: Synopsis of basic metatheoretical results for first order theories	259
Ref	References	
		075
Index		275